



AccessiWay Scan results for www.graphicnart.it

Accessible

Congratulations! Our scan indicates that your webpage is accessible. We're thrilled you chose to be inclusive and comply with legislation.

Tue Jun 24, 2025

#	Element	Relevant	Successes	Failures	Score
1	Elements that act as buttons but use non-button tags (e.g., span, div, a) should include a role="button" attribute.	Yes	23	3	88

Code snapshots of successful elements

```
1 <button type="button" class="a11y-toggle a11y-toggle-contrast toggle-contrast" id="is_normal_contrast" aria-pressed="false"><span class="offscreen">Attiva/disattiva alto contrasto</span><span class="aticon aticon-adjust" aria-hidden="true" role="pres...
```

```
2 <button type="button" class="a11y-toggle a11y-toggle-fontsize toggle-fontsize" id="is_normal_fontsize" aria-pressed="false"><span class="offscreen">Attiva/disattiva dimensione testo</span><span class="aticon aticon-font" aria-hidden="true" role="pres...
```

```
3 <a href="#" class="back-to-top" role="button" tabindex="0"></a>
```

```
4 <button class="sbi_load_btn" type="button"> <span class="sbi_btn_text">Carica di più...</span> <span class="sbi_loader sbi_hidden" style="background-color: rgb(255, 255, 255);" aria-hidden="true"></span> </button>
```

```
5 <div class="vc_gitem-zone-mini" role="button" tabindex="0" aria-label="Attiva contenuto"></div>
```

```
6 <div class="vc_gitem-zone-mini" role="button" tabindex="0" aria-label="Attiva contenuto"><div class="vc_gitem_row vc_row vc_gitem-row-position-middle"><div class="vc_col-sm-12 vc_gitem-col vc_gitem-col-align-"><div class="vc_custom_heading vc_gitem-p...
```

```
7 <button type="submit" name="wpforms[submit]" id="wpforms-submit-4249" class="wpforms-submit" data-alt-text="Invio in corso..." data-submit-text="Invia" aria-live="assertive" value="wpforms-submit">Invia</button>
```

```
8 <button type="button" class="open-chaty"><span class="chaty-svg"><svg version="1.1" xmlns="http://www.w3.org/2000/svg" x="0px" y="0px" viewBox="-496.9 507.1 54 54" xml:space="preserve"><style type="text/css">.chaty-sts2-0{fill:#ffffff;}</style><g><ci...
```

Code snapshots of failed elements

```
1 <div class="vc_custom_heading vc_gitem-post-data vc_gitem-post-data-source-p  
ost_date"><div style="font-size: 12px;color: #dbdbdb;text-align: center;font  
-family:Roboto;font-weight:300;font-style:normal">30 Dicembre 2024</div></di  
v>
```

```
2 <div class="vc_custom_heading vc_gitem-post-data vc_gitem-post-data-source-p  
ost_title"><div style="font-size: 24px;color: #ffffff;line-height: 1.3;text-  
align: center;font-family:Roboto;font-weight:400;font-style:normal">2024:  
L'anno in cui abbiamo al...
```

```
3 <legend class="wpforms-field-label"> <span class="wpforms-required-label" ar  
ia-hidden="true">*</span></legend>
```

#	Element	Relevant	Successes	Failures	Score
2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	24	0	100

Code snapshots of successful elements

```
1 <button type="button" class="a11y-toggle a11y-toggle-contrast toggle-contrast" id="is_normal_contrast" aria-pressed="false"><span class="offscreen">Attiva/disattiva alto contrasto</span><span class="aticon aticon-adjust" aria-hidden="true" role="pres...
```

```
2 <button type="button" class="a11y-toggle a11y-toggle-fontsize toggle-fontsize" id="is_normal_fontsize" aria-pressed="false"><span class="offscreen">Attiva/disattiva dimensione testo</span><span class="aticon aticon-font" aria-hidden="true" role="pres...
```

```
3 <a href="#" class="back-to-top" role="button" tabindex="0"></a>
```

```
4 <button class="sbi_load_btn" type="button"> <span class="sbi_btn_text">Carica di più...</span> <span class="sbi_loader sbi_hidden" style="background-color: rgb(255, 255, 255);" aria-hidden="true"></span> </button>
```

```
5 <div class="vc_gitem-zone-mini" role="button" tabindex="0" aria-label="Attiva contenuto"></div>
```

```
6 <div class="vc_gitem-zone-mini" role="button" tabindex="0" aria-label="Attiva contenuto"><div class="vc_gitem_row vc_row vc_gitem-row-position-middle"><div class="vc_col-sm-12 vc_gitem-col vc_gitem-col-align-"><div class="vc_custom_heading vc_gitem-p...
```

```
7 <button type="submit" name="wpforms[submit]" id="wpforms-submit-4249" class="wpforms-submit" data-alt-text="Invio in corso..." data-submit-text="Invia" aria-live="assertive" value="wpforms-submit">Invia</button>
```

```
8 <button type="button" class="open-chaty"><span class="chaty-svg"><svg versio
n="1.1" xmlns="http://www.w3.org/2000/svg" x="0px" y="0px" viewBox="-496.9 5
07.1 54 54" xml:space="preserve"><style type="text/css">.chaty-sts2-0{fill:#
ffffff;}</style><g><ci...
```

#	Element	Relevant	Successes	Failures	Score
3	Links should include text that sets expectations about the page they lead to. If empty links are used as layout wrapping elements, provide a description using screen-reader only text or an "aria-label" attribute.	Yes	78	1	99

Code snapshots of successful elements

```
1 <a href="#main" class="no-scroll et_smooth_scroll_disabled">Salta al contenuto</a>
```

```
2 <a href="#main-nav" class="no-scroll et_smooth_scroll_disabled">Passa alla navigazione</a>
```

```
3 <a href="#home"><span>HOME</span></a>
```

```
4 <a href="#about"><span>Chi siamo</span></a>
```

```
5 <a href="#services"><span>Cosa Facciamo</span></a>
```

```
6 <a href="#portfolio"><span>Clienti</span></a>
```

```
7 <a href="https://www.graphicart.it/lavora-con-noi/"><span>Lavora con noi</span></a>
```

```
8 <a href="https://www.graphicart.it/blog-2/"><span>Blog</span></a>
```

```
9 <a href="https://www.nfcday.it"><span>#NFC</span></a>
```

```
10 <a href="https://www.curvestudio.it"><span>CURVE STUDIO</span></a>
```

Code snapshots of failed elements

```
1 <a class="scroll-down scroll-to" href="#about"><span data-effect="bounce" class="fa fa-angle-down animated bounce"></span></a>
```

#	Element	Relevant	Successes	Failures	Score
4	Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.	Yes	0	5	0

Code snapshots of failed elements

```
1 <a href="https://www.facebook.com/pages/GraphicNart/351740004845524" target="_blank" aria-label="Facebook (si apre in nuova finestra)">Facebook</a>
```

```
2 <a href="https://web.whatsapp.com/send?phone=393384980387&text=" target="_blank" rel="nofollow noopener" aria-label="Whatsapp" class="chaty-tooltip Whatsapp-channel chaty-link chaty-whatsapp-channel pos-left" data-form="chaty-form-0-Whatsapp" dat...
```

```
3 <a href="https://m.me/graphicnart" target="_blank" rel="nofollow noopener" aria-label="Facebook_Messenger" class="chaty-tooltip Facebook_Messenger-channel chaty-link chaty-facebook_messenger-channel pos-left" data-form="chaty-form-0-Facebook_Messenge...
```

```
4 <a href="https://www.instagram.com/graphicnart/" target="_blank" rel="nofollow noopener" aria-label="Instagram" class="chaty-tooltip Instagram-channel chaty-link chaty-instagram-channel pos-left" data-form="chaty-form-0-Instagram" data-hover="Instagr...
```

```
5 <a href="https://goo.gl/maps/BnFuRuTbfvbeYMJH8" target="_blank" rel="nofollow noopener" aria-label="Google_Maps" class="chaty-tooltip Google_Maps-channel chaty-link chaty-google_maps-channel pos-left" data-form="chaty-form-0-Google_Maps" data-hover="...
```

#	Element	Relevant	Successes	Failures	Score
5	An H1 heading provides information to screen-reader users about the main topic of the page. Each page should have exactly one H1 heading.	Yes	-	Fail	0

Code snapshots of failed elements

1 `<h1 class="header-text">Chi Siamo</h1>`

2 `<h1 class="header-text">Cosa facciamo</h1>`

3 `<h1>+39 081 19717904</h1>`

4 `<h1>+39 02 67739034</h1>`

5 `<h1 class="header-text">Our Social World</h1>`

6 `<h1 class="header-text">Wall Of Fame</h1>`

7 `<h1 class="header-text">Inside Us</h1>`

8 `<h1 class="header-text">Contatti</h1>`

#	Element	Relevant	Successes	Failures	Score
6	HTML heading elements (h1-h6) should contain text content. If they include images or links, those elements must provide alternative text or screen-reader-only text.	Yes	15	0	100

#	Element	Relevant	Successes	Failures	Score
7	Elements that visually function as headings but are not coded with a heading tag should include a role="heading" attribute or be updated to use the correct heading tag	Yes	2	0	100

Code snapshots of successful elements

1 `<div class="subtitle" role="heading" aria-level="2"><p></p><center>Comunicare efficacemente e con coerenza.
 Sempre</center><p></p></div>`

2 `Comunicare efficacemente e con coerenza.
 Sempre`

#	Element	Relevant	Successes	Failures	Score
8	Heading levels should not be skipped and must follow a consistent hierarchy. For example, you should not use h2 and h4 headings without including an h3 in between.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
11	Active popups should include <code>aria-modal="true"</code> and <code>role="dialog"</code> attributes to help screen-reader users navigate them effectively.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
12	Each page should include hidden skip links that allow users (via keyboard or screen reader) to bypass certain blocks and navigate directly to main landmarks like the main content, menu, or footer.	Yes	-	Fail	0

#	Element	Relevant	Successes	Failures	Score
13	Elements hidden using CSS (e.g., <code>opacity</code> , <code>height</code> , <code>text-indent</code> , <code>off-canvas</code>) should include an <code>aria-hidden</code> attribute set to <code>"true"</code> when hidden and dynamically updated to <code>"false"</code> when they become visible.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
14	Elements hidden using CSS (e.g., opacity, height, text-indent, off-canvas) should have a tabindex attribute set to less than 0 and be dynamically updated to 0 when they become visible.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
15	Menus should be built using the HTML5 "nav" element or include a "role" attribute set to "menu" or "navigation" to indicate a navigation landmark for screen readers.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
16	Menu items that have a dropdown should include an aria-haspopup="true" attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
17	Menu items that have a dropdown should include an "aria-expanded" attribute set to "false" by default, which changes to "true" when the dropdown is opened, and back to "false" when closed.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	28	0	100

Code snapshots of successful elements

```
1 
```

```
2 
```

```
3 
```

```
4 role="presentation"</code> or <code>role="none"</code> attribute. | Yes      | 5         | 1        | 83    |

### Code snapshots of successful elements

```
1 <svg style="color: rgba(255,255,255,1)" class="svg-inline--fa fa-play fa-w-14 sbi_playbtn" aria-label="Play" aria-hidden="true" data-fa-processed="" data-prefix="fa" data-icon="play" role="presentation" xmlns="http://www.w3.org/2000/svg" viewBox="0 0...
```

```
2 <svg class="svg-inline--fa fa-clone fa-w-16 sbi_lightbox_carousel_icon" aria-hidden="true" aria-label="Clone" data-fa-processed="" data-prefix="far" data-icon="clone" role="img" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 512 512" > ...
```

```
3 <svg class="svg-inline--fa fa-instagram fa-w-14" aria-hidden="true" data-fa-processed="" aria-label="Instagram" data-prefix="fab" data-icon="instagram" role="img" viewBox="0 0 448 512" > <path fill="currentColor" d="M224.1 141c-63...
```

```
4 <i class="vc_btn3-icon fas fa-home" role="presentation" aria-hidden="true"></i>
```

### Code snapshots of failed elements

```
1 <div class="iti_flag iti_us">United States + 1</div>
```

| #  | Element                                                                                                                                                  | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 21 | Figure elements used to display images should have a role="none" attribute, and the image itself should provide a description using the "alt" attribute. | Yes      | 20        | 0        | 100   |

### Code snapshots of successful elements

```
1 <figure class="wpb_wrapper vc_figure"> <img decoding="async" width="37...
```

```
3 <figure class="wpb_wrapper vc_figure"> <img decoding="asy...
```

```
4 <figure class="wpb_wrapper vc_figure"> <img decoding="async" widt...
```

```
5 <figure class="wpb_wrapper vc_figure"> <img decoding="async" width="378" h...
```

```
6 <figure class="wpb_wrapper vc_figure"> <img decoding="async" width="378" heigh...
```

8 `<figure class="wpb_wrapper vc_figure"> <a href="https://www.engage.it/agenzie/atelier-signore-sceglie-graphicart-per-la-gestione-del-media-digitale.aspx" class="vc_single_image-wrapper vc_box_border_grey"><img decoding="async" width="378" heigh...`

9 `<figure class="wpb_wrapper vc_figure"> <a href="https://www.engage.it/brand-e-aziende/l-azienda-di-pelletteria-pec-sceglie-graphicart-per-la-definizione-della-strategia-digitale.aspx" class="vc_single_image-wrapper vc_box_border_grey"><img deco...`

10 `<figure class="wpb_wrapper vc_figure"> <a href="https://brand-news.it/brand/tempo-libero/leisure/suoni-divini-affida-la-comunicazione-visuale-a-graphicart/?utm_source=rss&utm_medium=rss&utm_campaign=suoni-divini-affida-la-comunicazione-vi...`

| #  | Element                                                                                                                                        | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 22 | Each "area" element within a map tag should have an "alt" attribute that provides an alternative text description, similar to standard images. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                    | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 23 | Small or hidden tracking pixel images (used for analytics or marketing) should include a role="none" or role="presentation" attribute to exclude them from screen-readers. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                  | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 24 | Form fields should include either an "aria-label" attribute or an associated "label" element to describe the field's purpose (e.g., email, phone, name). | Yes      | 8         | 0        | 100   |

### Code snapshots of successful elements

```
1 <input type="text" id="wpforms-4249-field_0" class="wpforms-field-name-first wpforms-field-required" name="wpforms[fields][0][first]" aria-errormessage="wpforms-4249-field_0-error" required="">
```

```
2 <input type="text" id="wpforms-4249-field_0-last" class="wpforms-field-name-last wpforms-field-required" name="wpforms[fields][0][last]" aria-errormessage="wpforms-4249-field_0-last-error" required="">
```

```
3 <input type="email" id="wpforms-4249-field_1" class="wpforms-field-large wpforms-field-required" name="wpforms[fields][1]" spellcheck="false" aria-errormessage="wpforms-4249-field_1-error" required="">
```

```
4 <input type="tel" id="wpforms-4249-field_6" class="wpforms-field-large wpforms-smart-phone-field iti_tel-input wpforms-input-temp-name" data-rule-smart-phone-field="true" name="wpforms[fields][6]" aria-errormessage="wpforms-4249-field_6-err...">
```

```
5 <input type="text" id="wpforms-4249-field_14" class="wpforms-field-medium" name="wpforms[fields][14]" aria-errormessage="wpforms-4249-field_14-error">
```

```
6 <select id="wpforms-4249-field_19" class="wpforms-field-medium" name="wpforms[fields][19]"><option value="-" >-</option><option value="Abbigliamento e Moda" >Abbigliamento e Moda</option><option value="Aeronautica e Difesa" >Aeronautica e Difesa</opt...>
```

```
7 <input type="url" id="wpforms-4249-field_9" class="wpforms-field-large" name="wpforms[fields][9]" aria-errormessage="wpforms-4249-field_9-error">
```

```
8 <textarea id="wpforms-4249-field_11" class="wpforms-field-large" name="wpforms[fields][11]" aria-errormessage="wpforms-4249-field_11-error"></textarea>
```

| #  | Element                                                                                                    | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 25 | Form elements must have unique IDs to ensure that their corresponding labels provide accurate information. | No       | 0         | 0        |       |

| #  | Element                                                                                                           | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 26 | Required form fields should include aria-required="true" to inform screen-reader users of the field's validation. | Yes      | 4         | 0        | 100   |

### Code snapshots of successful elements

1 `<input type="text" id="wpforms-4249-field_0" class="wpforms-field-name-first wpforms-field-required" name="wpforms[fields][0][first]" aria-errormessage="wpforms-4249-field_0-error" required="">`

2 `<input type="text" id="wpforms-4249-field_0-last" class="wpforms-field-name-last wpforms-field-required" name="wpforms[fields][0][last]" aria-errormessage="wpforms-4249-field_0-last-error" required="">`

3 `<input type="email" id="wpforms-4249-field_1" class="wpforms-field-large wpforms-field-required" name="wpforms[fields][1]" spellcheck="false" aria-errormessage="wpforms-4249-field_1-error" required="">`

4 `<input type="checkbox" id="wpforms-4249-field_18_1" name="wpforms[fields][18][1]" value="Ho letto l'informativa sulla privacy e acconsento al trattamento dei miei dati personali." aria-errormessage="wpforms-4249-field_18_1-error" required="" checked="">`

| #  | Element                                                                                                                                                | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 27 | aria-describedby and aria-labelledby attributes should reference the ID of an element that either has a text description or an "aria-label" attribute. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                            | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 28 | Search forms should include a role="search" attribute or be wrapped in an element with this role to indicate a search landmark for screen-readers. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                            | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 29 | All forms should include a submission button built as an input type="submit" or a "button" element, or have a role="button" attribute. The button can be hidden if the form supports submission via the Enter key. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <form id="wpforms-form-4249" class="wpforms-validate wpforms-form wpforms-ajax-form" data-formid="4249" method="post" enctype="multipart/form-data" action="/" data-token="98c01774ae43ea5f94a8123e51bfb6bb" data-token-time="1750784006" novalidate="nova...
```

| #  | Element                                                                                                                                                                             | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 30 | The validity status of each form element must be represented using the "aria-invalid" attribute with "true" or "false" values, and should update dynamically as the status changes. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                                     | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 31 | The title tag in the head section should be present and describe the current webpage accurately. This title appears in the browser tab, search engine results, and helps screen-reader users understand the page's content. | Yes      | Pass      | -        | 100   |

| #  | Element                                                                                                                                             | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 32 | The HTML tag should include a "lang" attribute representing the main language of the webpage to help screen-readers provide accurate pronunciation. | Yes      | Pass      | -        | 100   |

| #  | Element                                                                                                                                                                                                | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 33 | The viewport meta tag should enable vision-impaired users to pinch-zoom to at least twice the standard size by including user-scalable="yes" and maximum-scale=2 (or higher) in the content attribute. | Yes      | -         | Fail     | 0     |

#### Code snapshots of failed elements

```
1 <meta name="viewport" content="user-scalable=no, width=device-width, maximum-scale=1, minimum-scale=1">
```

| #  | Element                                                                                                                                                                                                                                                                    | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 34 | Landmarks like main content and footer should use their corresponding HTML5 elements (&lt;main&gt;, &lt;footer&gt;) or include an "aria-label" and "role" attribute (e.g., role="main" or role="contentinfo"). Landmarks like search and navigation are covered elsewhere. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                        | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 35 | Font sizes should be at least 11px to ensure readability across most font families. This requirement should also be verified when using dynamic units like REM or percentages. | Yes      | 96        | 0        | 100   |

| #  | Element                                                                                                                                                                       | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 36 | Letter spacing should not be set below -1px to maintain readability across most font families. This should also be verified when using dynamic units like REM or percentages. | Yes      | 96        | 0        | 100   |

| #  | Element                                                                                                             | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 37 | Text elements should meet a minimum contrast ratio of 4.5:1 between the foreground (text color) and the background. | Yes      | 90        | 3        | 97    |

#### Code snapshots of successful elements

```
1 Salta al contenuto
```

```
2 Passa alla navigazione
```

```
3 HOME
```

```
4 Chi siamo
```

```
5 Cosa Facciamo
```

```
6 Clienti
```

```
7 Lavora con noi
```

```
8 Blog
```

```
9 #NFC
```

```
10 CURVE STUDIO
```

#### Code snapshots of failed elements

```
1 <h2>Via Luigi Caldieri 91, 80128 Napoli.</h2>
```

```
2 <h2>Via Mauro Macchi 8, 20124 Milano.</h2>
```

| #  | Element                                                                                                                                                                                                         | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 38 | Carousels should include an "aria-label" attribute (e.g., carousel or slider) to indicate their functionality. They should also be marked as a landmark for screen-readers with a role="contentinfo" attribute. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                   | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 39 | Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                             | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 40 | A common accessibility mistake is treating carousels as live regions using the "aria-live attribute" with "polite" or "assertive" values. This can cause screen readers to cut off or skip important announcements. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                     | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 41 | Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                   | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 42 | Tables used for layout purposes should include a role="presentation" attribute to indicate to screen-readers that it is not a data table. | No       | 0         | 0        |       |

| #  | Element                                                                                                                    | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 43 | If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation". | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                          | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 44 | Tables without a thead row containing th elements should use the role="rowheader" attribute on td elements in the tr that visually represent the table headings. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                             | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 45 | Visually deleted texts (e.g., a previous price on sale items) should include an "aria-label" attribute or a screen-reader only text to indicate that it is deleted. | No       | 0         | 0        |       |

| #  | Element                                                                                                                         | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 46 | The main element of breadcrumbs should include a role="navigation" attribute and an "aria-label" to describe its functionality. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                   | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 47 | Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                                    | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 48 | An accessibility interface allows visually-impaired users to adjust UI elements like font size, colors, and spacing to suit their needs. While not a compliance requirement, it can help improve accessibility compliance. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                  | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 49 | Iframe elements should include a "title" or "aria-label" attribute that explains their purpose, functionality, or destination. If irrelevant, they should be hidden from screen readers. | Yes      | 3         | 0        | 100   |

### Code snapshots of successful elements

```
1 <iframe tabindex="-1" role="presentation" aria-hidden="true" title="Blank" src="https://consentcdn.cookiebot.com/sdk/bc-v4.min.html" style="position: absolute; width: 1px; height: 1px; top: -9999px;" ></iframe>
```

```
2 <iframe allow="join-ad-interest-group" data-tagging-id="AW-1012485836" data-load-time="1750784007878" height="0" width="0" src="https://td.doubleclick.net/td/rul/1012485836?random=1750784007795&cv=11&fst=1750784007795&fmt=3&bg=ffffff&...">
```

```
3 <iframe title="reCAPTCHA" width="256" height="60" role="presentation" name="a-okaed9uxw8zf" frameborder="0" scrolling="no" sandbox="allow-forms allow-popups allow-same-origin allow-scripts allow-top-navigation allow-modals allow-popups-to-escape-sand...">
```